

# Safety data sheet

Page: 1/12

BASF Safety data sheet

Version: 1.0 Date / Revised: 01.03.2023

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

# 1. Substance/preparation and manufacturer/supplier identification

# **Product name:**

Pylex Herbicide

Use: crop protection product, herbicide

# Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

**Emergency information:** 

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

# 2. Hazard identification

Classification of the substance and mixture:

Reproductive toxicity: Cat.1B (unborn child)

Hazardous to the aquatic environment - acute: Cat.1 Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:





Signal Word: Danger

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

Hazard Statement:

H360 May damage the unborn child. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary Statement:** 

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves/clothing/eye protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

P391 Collect spillage.

Precautionary Statements (Storage):
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

# 3. Composition/information on ingredients

### Chemical nature

Substance nature: mixture

crop protection product, herbicide, suspension concentrate (SC)

# **Hazardous ingredients**

Topramezone

Content (W/W): 29.7 % Repr.: Cat. 1B (unborn child)

CAS Number: 210631-68-8 Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1 M-factor acute: 1 M-factor chronic: 100

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

Content (W/W): < 3 % Eye Dam./Irrit.: Cat. 2A Aquatic Acute: Cat. 3 Aquatic Chronic: Cat. 3

propane-1,2-diol

Content (W/W): < 10 % CAS Number: 57-55-6

### 4. First-Aid Measures

### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

#### On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

### On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

# Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

# Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

### Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### 6. Accidental Release Measures

#### Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### Environmental precautions:

Do not discharge into drains/surface waters/groundwater.Do not discharge into the subsoil/soil.

### Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

# 8. Exposure controls and personal protection

### Components with occupational exposure limits

propane-1,2-diol, 57-55-6;

TWA value 474 mg/m3; 150 ppm (AU NOEL), Total vapour and particulates

TWA value 10 mg/m3 (AU NOEL), Particulate

TWA value 474 mg/m3; 150 ppm (OEL (AU)), Total vapour and particulates

TWA value 10 mg/m3 (OEL (AU)), Particulate

### Personal protective equipment

### Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

# Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

#### Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

# General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid
Colour: off-white
Odour: aromatic

Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 2.5 - 4.5

(CIPAC standard water D, 1 %(m),

20 °C)

crystallization temperature: approx. -4 °C Boiling point: approx. 100 °C

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

Flash point:

No flash point - Measurement made

up to the boiling point.

Evaporation rate:

not applicable

Flammability (solid/gas): Study does not need to be

conducted.

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 425 °C

(Directive 92/69/EEC, A.15)

Thermal decomposition: 210 °C , 330 kJ/kg

Not a substance liable to selfdecomposition according to UN transport regulations, class 4.1.

SADT: > 75 °C
Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure: approx. 23.3 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.12 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Viscosity, dynamic: approx. 78 mPa.s

(20 °C, 100 1/s)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

# 10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: 210 °C, 330 kJ/kg

Thermal decomposition: Not a substance liable to self-decomposition according to

UN transport regulations, class 4.1.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

# 11. Toxicological Information

# Routes of exposure

### **Acute oral toxicity**

Experimental/calculated data:

LD50rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

# Acute inhalation toxicity

LC50 rat (by inhalation): > 5.8 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

# **Acute dermal toxicity**

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

No mortality was observed.

### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

# **Symptoms**

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

# Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: (OECD Guideline 429)

# Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

# Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Topramezone Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

-----

# Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

# **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Topramezone Assessment of teratogenicity:

The substance caused malformations/developmental toxicity in laboratory animals.

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

-----

# Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

# Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Topramezone

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

-----

# **Aspiration hazard**

No aspiration hazard expected.

# Other relevant toxicity information

Misuse can be harmful to health.

# 12. Ecological Information

# **Ecotoxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 8.71 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) 12.1 mg/l, Daphnia magna

Aquatic plants:

EC50 (7 d) > 0.064 mg/l (growth rate), Lemna gibba (OECD guideline 221)

EC50 (7 d) 0.0008 mg/l (growth rate), Lemna gibba (OECD guideline 221)

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (35 d), 0.12 mg/l, Mysidopsis bahia

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

# **Mobility**

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Topramezone

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

# Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Topramezone

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

-----

# **Bioaccumulation potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Topramezone Bioaccumulation potential:

Bioconcentration factor: 0.69 (42 d), Lepomis macrochirus (OPPTS 850.1730 (EPA Guideline))

Does not significantly accumulate in organisms.

-----

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# 13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# 14. Transport Information

**Domestic transport:** 

UN number or ID number: UN 3082

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name:

N.O.S. (TOPRAMEZONE)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: yes

Special precautions for

user:

None known

# **Further information**

Hazchem Code:3Z IERG Number:47

# Sea transport

**IMDG** 

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (TOPRAMEZONE)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

# Air transport

IATA/ICAO

UN number or ID number: UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name:

N.O.S. (TOPRAMEZONE)

Transport hazard class(es): 9. EHSM

Packing group: Ш Environmental hazards: yes

Special precautions for None known

user:

# **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

Product: Pylex Herbicide

(30591017/SDS\_CPA\_AU/EN)

Date of print: 01.03.2023

# 15. Regulatory Information

### **Other regulations**

To avoid risks to man and the environment, comply with the instructions for use.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval No.: 92030

# 16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.