

Safety data sheet

Page: 1/12

BASF Safety data sheet
Date / Revised: 30.12.2022
Product: **Greenguard SC Premium**

Version: 2.2

(10988292/SDS_GEN_AU/EN)

Date of print): 12.11.2024

1. Substance/preparation and manufacturer/supplier identification

Product name:
Greenguard SC Premium

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 23, 40 City Road, Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Skin corrosion/irritation: Cat.3

Serious eye damage/eye irritation: Cat.1

Hazardous to the aquatic environment - acute: Cat.3

Label elements and precautionary statement:

Pictogram:



Signal Word:

Danger

Hazard Statement:

BASF Safety data sheet
Date / Revised: 30.12.2022
Product: **Greenguard SC Premium**

Version: 2.2

(10988292/SDS_GEN_AU/EN)

Date of print): 12.11.2024

H318 Causes serious eye damage.
H316 Causes mild skin irritation.
H402 Harmful to aquatic life.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear eye and face protection.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or physician.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Micro-organisms may have the potential to provoke sensitising reactions.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Contains: biological beneficial organism

Hazardous ingredients

sodium-di-ethyl-hexyl-sulfosuccinate
Content (W/W): < 10 %
CAS Number: 577-11-7

Acute Tox.: Cat. 5 (oral)
Skin Corr./Irrit.: Cat. 2
Eye Dam./Irrit.: Cat. 1
Aquatic Acute: Cat. 2

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage temperature: 2 - 8 °C

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures below: 2 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 25 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

BASF Safety data sheet
Date / Revised: 30.12.2022
Product: **Greenguard SC Premium**

Version: 2.2

(10988292/SDS_GEN_AU/EN)

Date of print): 12.11.2024

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid, viscous
Colour: dark green to black
Odour: of essential oil
Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 5 - 7
(20 °C)

Melting temperature: not applicable

boiling temperature: The substance / product decomposes therefore not determined., Information applies to the solvent.

Flash point: > 150 °C
Information applies to the solvent.

Evaporation rate: not applicable

Flammability (solid/gas): not applicable

Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Ignition temperature: The substance / product decomposes therefore not determined., Information applies to the solvent.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

Vapour pressure: (20 °C)
negligible, Information applies to the solvent.

Density: approx. 1.0 - 1.3 g/cm³
(20 °C)

Relative vapour density (air):
not applicable

Solubility in water: dispersible
Partitioning coefficient n-octanol/water (log Pow):
not applicable

Viscosity, kinematic: Forms a viscous solution.

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate

Acute oral toxicity

Experimental/calculated data:

LD50 rat (oral): > 2,100 mg/kg (OECD Guideline 401)

LD50 rat (oral): 3,080 mg/kg (similar to OECD guideline 401)

Information on: sodium-di-ethyl-hexyl-sulfosuccinate

Acute inhalation toxicity

Experimental/calculated data:

LC50 rat (by inhalation): > 40.8 mg/l 1 h

Information on: sodium-di-ethyl-hexyl-sulfosuccinate

Acute dermal toxicity

Experimental/calculated data:

LD50 rabbit (dermal): > 10,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Skin contact causes slight irritation. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate
Experimental/calculated data:
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Information on: sodium-di-ethyl-hexyl-sulfosuccinate
Experimental/calculated data:
Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate
Experimental/calculated data:
human: Non-sensitizing. (Human patch test)

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate
Assessment of teratogenicity:
The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses which impaired body weight gain in parental animals.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate

Toxicity to fish:

LC50 (96 h) 49 mg/l, *Brachydanio rerio* (Directive 92/69/EEC, C.1, semistatic)

Nominal concentration.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate

Aquatic invertebrates:

EC50 (48 h) 6,6 mg/l a.i., *Daphnia magna* (Directive 84/449/EEC, C.2, static)

Nominal concentration.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate

Aquatic plants:

EC10 (72 h) 22 mg/l a.i. (growth rate), *Desmodesmus subspicatus* (Guideline 92/69/EEC, C.3, static)

Nominal concentration.

EC50 (72 h) 82,5 mg/l a.i. (growth rate), *Desmodesmus subspicatus* (Guideline 92/69/EEC, C.3, static)

Nominal concentration.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate
Chronic toxicity to aquatic invertebrates:
EC10 (21 d), 9.8 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sodium-di-ethyl-hexyl-sulfosuccinate
Assessment transport between environmental compartments:
Adsorption to solid soil phase is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
The product has not been tested. The statement has been derived from the properties of the individual components.
Biodegradable.

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential:
At the present state of knowledge, no negative ecological effects are expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable

BASF Safety data sheet
Date / Revised: 30.12.2022
Product: **Greenguard SC Premium**

Version: 2.2

(10988292/SDS_GEN_AU/EN)

Date of print): 12.11.2024

Environmental hazards: Not applicable
Special precautions for user: None known

Sea transport

IMDG

UN number or ID number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

Air transport

IATA/ICAO

UN number or ID number: Not applicable
Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable
Special precautions for user: None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval No. 61596

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 30.12.2022
Product: **Greenguard SC Premium**

Version: 2.2

(10988292/SDS_GEN_AU/EN)

Date of print): 12.11.2024

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.