

# Safety data sheet

Page: 1/22

BASF safety data sheet. This document has been drafted following generic rules for safety data sheets. It does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

# **Lexicon® Intrinsic Brand Fungicide**

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

# 1.3. Details of the supplier of the safety data sheet

Company:
BASF Australia Limited (ABN 62 008 437 867)
Level 23, 40 City Road, Southbank
Victoria 3006, AUSTRALIA

Contact address: BASF SE 67056 Ludwigshafen GERMANY

\_\_\_\_\_

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

# 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

#### **SECTION 2: Hazards Identification**

# 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

# According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral) H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. Additional category for H362 May cause harm to breast-fed children.

effects on or via lactation.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated

exposure.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

# 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

# Globally Harmonized System, EU (GHS)

# Pictogram:







#### Signal Word:

#### Warning

# Hazard Statement:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H362 May cause harm to breast-fed children.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

#### **Precautionary Statement:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

# Precautionary Statements (Prevention):

i rooddiionary Olac	sinone (i revenuen).
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P263	Avoid contact during pregnancy and while nursing.
Precautionary State	ements (Response):
P312	Call a POISON CENTER or physician if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical attention.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P330	Rinse mouth.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary State	ements (Storage):
P403 + P233 P405	Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Labeling of special preparations (GHS):

Precautionary Statements (Disposal):

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

collection point.

Hazard determining component(s) for labelling: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate, Fluxapyroxad, 2-Methyl-2H-isothiazol-3-one

Dispose of contents and container to hazardous or special waste

# 2.3. Other hazards

P501

#### According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

# **SECTION 3: Composition/Information on Ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixtures

# Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

# Regulatory relevant ingredients

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methyly)corb amete

methoxy)carbamate

Content (W/W): 28.58 % Acute Tox. 3 (Inhalation - mist)

CAS Number: 175013-18-0 Acute Tox. 4 (oral)

INDEX-Number: 613-272-00-6 Skin Irrit. 2

Repr. 2 (unborn child)

Substance with EU occupational STOT SE 3 (irr. to respiratory syst.)

exposure limit STOT RE (Liver, Nasal cavity, Gastrointestinal

tract) 2

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100

H315, H331, H302, H335, H361d, H373, H400,

H410

Acute toxicity estimate:

oral: 450 mg/kg Inhalation: 0.58 mg/l

Fluxapyroxad

Content (W/W): 14.33 % Repr. Add. cat. lact. CAS Number: 907204-31-3 Aquatic Acute 1

CAS Number: 907204-31-3 Aquatic Acute 1
Aquatic Chronic 1

Substance with EU occupational M-factor acute: 1 exposure limit M-factor chronic: 1

M-factor chronic: 1 H362, H400, H410

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Content (W/W): < 5 % Eye Dam./Irrit. 2 CAS Number: 68425-94-5 Aquatic Chronic 3 H319, H412

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Date / Revised: 13.09.2024 Version: 6.0 Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

Content (W/W): < 5 % Eye Dam./Irrit. 2 CAS Number: 102980-04-1 Aquatic Chronic 3 H319, H412

bronopol (INN)

Content (W/W): < 0.05 % CAS Number: 52-51-7 Acute Tox. 3 (Inhalation - dust)

Acute Tox. 3 (oral) EC-Number: 200-143-0 Acute Tox. 4 (dermal)

REACH registration number: 01-Skin Irrit. 2 2119980938-15 Eve Dam. 1

INDEX-Number: 603-085-00-8 STOT SE 3 (irr. to respiratory syst.)

> Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 10

H318, H315, H312, H335, H301 + H331, H400,

H410

Differing classification according to current knowledge and the criteria given in Annex I of

Regulation (EC) No. 1272/2008

Aquatic Chronic 1 Aquatic Acute 1 M-factor acute: 100 M-factor chronic: 10

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.01 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 2634-33-5 Acute Tox. 4 (oral) EC-Number: 220-120-9 Skin Irrit. 2

Eye Dam. 1

REACH registration number: 01-

2120761540-60

INDEX-Number: 613-088-00-6 Aquatic Acute 1

Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1

Skin Sens. 1A

H318, H315, H330, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1A: >= 0.036 %

Acute toxicity estimate:

oral: 450 mg/kg Inhalation: 0.21 mg/l

2-methylisothiazol-3(2H)-one

Date / Revised: 13.09.2024 Version: 6.0 Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

Content (W/W): < 0.01 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 2682-20-4 Acute Tox. 3 (oral) Acute Tox. 3 (dermal) EC-Number: 220-239-6

REACH registration number: 01-Skin Corr. 1B Eve Dam. 1

2120764690-50

INDEX-Number: 613-326-00-9

Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1

H330, H317, H314, H301 + H311, H400, H410

EUH071

Specific concentration limit: Skin Sens. 1A: >= 0.0015 %

Propane-1,2-diol

Content (W/W): < 10 % CAS Number: 57-55-6 EC-Number: 200-338-0

REACH registration number: 01-

2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

# **SECTION 4: First-Aid Measures**

# 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

# 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# **SECTION 5: Fire-Fighting Measures**

# 5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

# 5.2. Special hazards arising from the substance or mixture

Endangering substances: Carbon monoxide, Carbon dioxide, Hydrochloric acid, Hydrogen fluoride, Hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

# 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

# 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

# **SECTION 7: Handling and Storage**

# 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

# 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

Protect from temperatures below:0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above:40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

175013-18-0: pyraclostrobin (ISO)

TWA value 0.13 mg/m3 (BASF recomm. occupational exposure limit)

907204-31-3: Fluxapyroxad

TWA value 0.5 mg/m3 (BASF recomm. occupational exposure limit)

#### 8.2. Exposure controls

# Personal protective equipment

#### Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

# Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

# Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

# General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

# **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

State of matter: liquid
Form: liquid
Colour: off-white

Odour: faint odour, fruity

Odour threshold:

Not determined due to potential health hazard by inhalation.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

crystallization temperature: approx. -5 °C (measured) Boiling point: approx. 100 °C (measured)

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point:

No flash point - Measurement made

up to the boiling point.

Auto-ignition temperature: 535 °C (Directive 92/69/EEC, A.15)

Thermal decomposition: 95 °C, 20 kJ/kg (DSC (OECD 113))

165 °C, 140 kJ/kg (DSC (OECD 113)) 270 °C, 590 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

pH value: approx. 6 - 8 (pH Meter)

(20 °C)

(measured with the undiluted

substance)

Viscosity, dynamic: 63 mPa.s (OECD Guideline 114)

(20 °C, 100 1/s)

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Vapour pressure: approx. 23.4 hPa

(approx. 20 °C)

Information applies to the solvent.

Density: approx. 1.16 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not applicable

#### 9.2. Other information

# Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: not explosive (Directive 92/69/EEC, A.14)

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

Oxidizing properties

Fire promoting properties: not fire-propagating (Directive 2004/73/EC, A.21)

Other safety characteristics

Evaporation rate:

not applicable

# **SECTION 10: Stability and Reactivity**

# 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

# 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

# 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

# 10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

# 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological Information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

LC50 rat (by inhalation): > 6.11 mg/l 4 h (OECD Guideline 403)

An aerosol with respirable particles was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

# **Irritation**

Assessment of irritating effects:

Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-Methyl-2H-isothiazol-3-one

Experimental/calculated data:

Buehler test guinea pig: skin sensitizing (OECD Guideline 406)

-----

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol (INN) Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

-----

#### Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

-----

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad
Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. May cause harm to

children via breast-feeding.

# **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

Information on: Fluxapyroxad

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: bronopol (INN)

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

.....

#### Aspiration hazard

not applicable

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

#### Interactive effects

No data available.

#### 11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### Other information

Other relevant toxicity information

Misuse can be harmful to health.

# **SECTION 12: Ecological Information**

# 12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Toxicity to fish:

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Information on:Fluxapyroxad

Toxicity to fish:

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Aquatic invertebrates:

EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

EC50 (96 h) 0.00416 mg/l, Americamysis bahia

Information on:Fluxapyroxad

Aquatic invertebrates:

EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

-----

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate Aquatic plants:

EC10 (7 d) 0.82 mg/l (growth rate), Lemna gibba

EC50 (7 d) > 1.007 mg/l (growth rate), Lemna gibba

EC50 (72 h) 0.011 mg/l (growth rate), Navicula pelliculosa

Information on:Fluxapyroxad

Aquatic plants:

EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata

-----

Information on:Fluxapyroxad

Chronic toxicity to fish:

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Chronic toxicity to fish:

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

-----

Information on:Fluxapyroxad

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia

# 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on:Fluxapyroxad Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

# 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate Bioaccumulation potential:

Bioconcentration factor(BCF): 379 - 507, Oncorhynchus mykiss (OECD Guideline 305) Accumulation in organisms is not to be expected.

Information on:Fluxapyroxad Bioaccumulation potential:

Bioconcentration factor(BCF): 36 - 37 (28 d), Lepomis macrochirus (OECD Guideline 305) Does not accumulate in organisms.

-----

# 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 13.09.2024 Version: 6.0 Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-

vloxymethyl]phenyl}(N-methoxy)carbamate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on:Fluxapyroxad

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

# 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

# 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# **SECTION 14: Transport Information**

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

#### Land transport

**ADR** 

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, FLUXAPYROXAD)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, FLUXAPYROXAD)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Special precautions for

user:

IIÍ

None known

# **Inland waterway transport**

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, FLUXAPYROXAD)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None

user:

None known

Transport in inland waterway vessel

Not evaluated

# Sea transport

**IMDG** 

UN number or ID number: UN 3082

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, FLUXAPYROXAD)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

# Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, FLUXAPYROXAD)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

# 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

# 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

# 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

Classification applies for standard conditions of temperature and pressure.

To avoid risks to man and the environment, comply with the instructions for use.

# 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

#### **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity
Skin Sens. Skin sensitization
Repr. Reproductive toxicity

STOT SE Specific target organ toxicity — single exposure

STOT RE Specific target organ toxicity — repeated exposure

Aquatic Acute Hazardous to the aquatic environment - acute

Hazardous to the aquatic environment - chronic

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

Skin Irrit. Skin irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Eye Dam. Serious eye damage Skin Corr. Skin corrosion H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H362 May cause harm to breast-fed children.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H315 Causes skin irritation. H331 Toxic if inhaled.

H373 May cause damage to organs (Liver, Nasal cavity, Gastrointestinal tract)

through prolonged or repeated exposure.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.
H312 Harmful in contact with skin.
Toxic if swallowed or if inhaled.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage. H301 + H311 Toxic if swallowed or in contact with skin.

EUH071 Corrosive to the respiratory tract.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships, NEN = Dutch Norm, NOEC = No Observed Effect Concentration, OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification

Page: 22/22

BASF safety data sheet. This document has been drafted following generic rules for safety data sheets. It does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 13.09.2024 Version: 6.0
Date / Previous version: 29.07.2022 Previous version: 5.1

Product: Lexicon® Intrinsic Brand Fungicide

(ID no. 30604404/SDS\_CPA\_EU/EN)

Date of print 13.11.2024

agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.