BASF
We create chemistry

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Navicon®

Intrinsic Brand Fungicide

ACTIVE CONSTITUENTS: 200 g/L MEFENTRIFLUCONAZOLE
200 g/L PYRACLOSTROBIN

GROUP	3	11	FUNGICIDE

A unique preventative and curative disease treatment for turf as per Directions for Use

IMPORTANT: READ THE SAFETY DIRECTIONS BEFORE USING THIS PRODUCT

CONTENTS: 500 mL - 20 L

BASF Agricultural Solutions Australia Pty Ltd
ABN: 35 692 863 442
Level 23, 40 City Road Southbank VICTORIA 3006
turf-solutions.basf.com.au

® Registered trademark of BASF

APVMA Approval No.: 95133/144770

SC FORMULATION TYPE Suspension Concentrate

BASF
We create chemistry

RESTRAINTS
DO NOT apply by aircraft
DO NOT apply by a vertical sprayer
DO NOT apply to water-logged soil
DO NOT use this product through any type of irrigation system
DO NOT apply if heavy rains or storms are forecast for at least 3 days
DO NOT irrigate to the point of runoff for at least 3 days after application
DO NOT apply more than a total of 10.8 L Navicon/ha/year

SPRAY DRIFT RESTRAINTS
Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the buffer zone table below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are surface temperature inversion conditions present at the application site during the time of application. These conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

DO NOT apply by a boom sprayer unless the following requirements are met:

- spray droplets not smaller than a COARSE spray droplet size category
- the release height is not greater than 0.5 metres above the target canopy
- minimum distances between the application site and downwind sensitive areas (see 'Mandatory downwind buffer zones' section of the following table titled 'Buffer zones for boom sprayers') are observed.

Buffer Zones for Boom Sprayers

Application rate	**Boom height above the target canopy**	**Mandatory downwind buffer zones (metres)**				
		Bystander areas	**Natural aquatic areas**	**Pollinator areas**	**Vegetation areas**	**Livestock areas**
Up to maximum label rate	0.5 m or lower	0	190	0	0	25
2.2 L/ha or lower	0.5 m or lower	0	140	0	0	20

BASF
We create chemistry

DIRECTIONS FOR USE

SITUATION	DISEASE	RATE	WATER VOLUME	MAXIMUM NUMBER OF SEQUENTIAL APPLICATIONS	CRITICAL COMMENTS
Turf	Anthracnose (*Colletotricum graminicola*)	2.2-2.7 L/ha	Preventative Treatments: 400-1600 L/ha Curative Treatments: 600-2000 L/ha	2	*Preventative Treatments:* Begin application when conditions are favourable for fungal infection, prior to disease symptom development. Apply at application intervals of between 14-28 days. *Curative Treatments:* Apply at application intervals of between 14-28 days, use shorter application intervals when prolonged disease conditions exist.
	Brown Patch, Large Patch and Brown Ring Patch (*Rhizoctonia spp.*)			3	
	Curvularia spp.			2	
	Dollar spot (*Clarireedia homoecarpa formerly known as Sclerotinia homoecarpa)*			2	
	Fairy ring *(Basidiomycete fungi)*	2.7 L/ha		3	*Preventative Treatments:* Begin application when conditions are favourable for fungal infection, prior to disease symptom development. Apply at application intervals of 28 days. *Curative Treatments:* Apply at application intervals of 28 days. Best results are achieved when applications are made in higher water rates (1000L/ha or higher). Immediate irrigation post application (5-10ml) may also assist.
	Helminthosporium complex *(Drechslera spp., Bipolaris spp., Exserohilum spp.)*	2.2-2.7 L/ha		2	*Preventative Treatments:* Begin application when conditions are favourable for fungal infection, prior to disease symptom development. Apply at application intervals of between 14-28 days. *Curative Treatments:* Apply at application intervals of between 14-28 days, use shorter application intervals when prolonged disease conditions exist.
	Leaf and sheath spot *(Waitea circinate var. zeae or W. circinate var. oryzae)*				
	Rust *(Puccinia spp.)*	2.2-2.7 L/ha			
	Spring Dead Spot (*Ophiosphaerella narmari*)	2.7 L/ha		3	Apply when conditions are favourable for fungal infection, or in early stages of disease development, at intervals of 28 days. Apply two applications in the Autumn and two applications in Spring.
	Gaeumannomces spp. including: Take-all patch (*Gaeumannomyces graminis f. sp. avenae*) Take-all root rot (Gaeumannomyces *graminis f. sp. Graminis*)	2.2-2.7 L/ha			*Preventative Treatments:* Begin application when conditions are favourable for fungal infection, prior to disease symptom development. Apply at application intervals of between 14-28 days. *Curative Treatments:* Apply at application intervals of between 14-28 days, use shorter application intervals when prolonged disease conditions exist.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

BASF
We create chemistry

WITHHOLDING PERIODS
DO NOT graze treated turf or lawn; or feed turf or lawn clippings from any treated area to poultry or livestock.

GENERAL INSTRUCTIONS
Navicon® Intrinsic Brand Fungicide has been tested across a range of turf grass species and has been demonstrated not to cause injury. However, due to the variability in turf grass species, tank mixes and application techniques, it is recommended that a small test area (under similar conditions to the broader area) be treated first and effects monitored for 14 days.

APPLICATION
Good disease control requires even coverage. Application should be made using sufficient water to ensure even coverage. Lower water rates can be used for foliar diseases. For soil and root-based disease control, higher water rates are recommended.

RESISTANCE WARNING

GROUP	3	11	FUNGICIDE

Navicon® Intrinsic Brand Fungicide is a member of the DMI and strobilurin groups of fungicides. For fungicide resistance management the product is a Group 3 and Group 11 fungicide. Some naturally occurring individual fungi resistant to the product and other Group 3 and Group 11 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product or other Group 3 or Group 11 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, BASF Agricultural Solutions Australia Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

PRECAUTION
General public: DO NOT allow entry into treated areas until the spray has dried.

Occupational users: DO NOT enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
Harmful to native mammals with long lasting effects. DO NOT use on sites where vulnerable, threatened, endangered or critically endangered mammals are known to graze.

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers. To protect aquatic species from runoff, DO NOT apply if heavy rains or storms are forecast within 3 days. DO NOT irrigate to the point of water runoff from the treatment area for at least 3 days after application.

STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple-rinse containers before disposal. Dispose of rinsate or any undiluted chemical according to state/territory legislative requirements. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, dispose of empty container or unused product in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

We create chemistry

SAFETY DIRECTIONS
Harmful if swallowed. May irritate the eyes. Will irritate the skin. Avoid contact with eyes and skin. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat, and elbow-length chemical resistant gloves. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). If product on skin, immediately wash area with soap and water. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

SAFETY DATA SHEET
For further information refer to the Safety Data Sheet (SDS).

CONDITIONS OF SALE
All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Agricultural Solutions Australia Pty Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non- excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Agricultural Solutions Australia Pty Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Agricultural Solutions Australia Pty Ltd.

APVMA Approval No: 95133/144770

Batch No:
Date of Manufacture:

® = Registered trademark of BASF
© BASF 2026
* Other registered trademarks

BASF Agricultural Solutions Australia Pty Ltd
ABN: 35 692 863 442
Level 23, 40 City Road
Southbank VICTORIA 3006
turf-solutions.basf.com.au

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY
PHONE 1800 803 440
TOLL FREE - ALL HOURS - AUSTRALIA WIDE

BASF
We create chemistry

GHS STATEMENTS

Causes skin irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. May cause respiratory irritation. Suspected of damaging the unborn child. Harmful if swallowed or if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions. Wear protective gloves, protective clothing and eye protection or face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust/gas/mist/vapours. Do not handle until all safety precautions have been read and understood. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated body parts thoroughly after handling. Call a POISON CENTER or physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Rinse mouth. Collect spillage. Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up.